♠ ♠ Content Structure Appearance People Modules Configuration DrupalExp HOG[SCAN] Reports

PERMISSIONS

Permissions Roles Role assign

LIST

Filter list

Filter list by module. Use the query operator "perm" to filter by permission, e.g., perm:access.

Hide descriptions

Home » Administration » People

PERMISSION	ANONYMOUS USER	AUTHENTICATED USER	PHOTOGRAPHER	EDITOR	ACTIVITIES OFFICER	ROAD CAPTAIN	MEMBERSHIP OFFICER	PRIMARY OFFICER	WEBMASTER	ADMINISTRATOR
@font-your-face	1	1	1							
administer @font-your-face Change which fonts are enabled using the admin interface.										
Administration menu										
Access administration menu Display the administration menu at the top of each page.				•						
Flush caches Access links to flush caches in the administration menu.				•					•	
Display Drupal links Provide Drupal.org links in the administration menu.										
Advanced Forum										
Administer Advanced Forum										
View Advanced Forum statistics										
View last edited notice										
Background Process										
Administer background processes Perform administration tasks for background processes.										
Block										
Administer blocks				<						
Block Class										
Administer block classes Set CSS classes for blocks.										
CKEditor										
Administer CKEditor access Allow users to change CKEditor settings.										
Customize CKEditor appearance Allow users to customize CKEditor appearance.										
Chaos tools										
Use CTools importer The import functionality allows users to execute arbitrary PHP code, so extreme caution must be taken. Warning: Give to trusted roles only; this permission has security implications.										
Comment										
Administer comments and comment settings										
View comments			2	2	V	2	1		1	
Post comments			1	1	1	~	2	1	1	
Skip comment approval					 ✓ 					
Edit own comments					✓					
Content Access										
Grant content access View and modify content access for any									v	

noues						
Grant own content access View and modify content access for own nodes						
Context UI						
Administer contexts Associate menus, views, blocks, etc. with different contexts to structure your site.						
Access all blocks Allows users to access all rendered blocks via an AJAX callback. If you have some blocks that should not be rendered for some users but need those users to be able to use context UI, then implement hook_context_allow_ajax_block_access with the necessary logic.						
Contextual links						
Use contextual links Use contextual links to perform actions related to elements on a page.						
Date Repeat Field						
View Repeating Dates Allow user to see a page with all the times a date repeats.						
Date Tools						
Administer date tools						
Dexp Masonry Grid						
Administer Dexp Masonry Administer Dexp Masonry Grid.						
Display Suite						
Administer Display Suite General permission for Display Suite settings pages.						
DrupalExp Layer Slider						
Administer LayerSlider Administer LayerSlider.						
Administer LayerSlider.						
Administer LayerSlider. Features Administer features Perform administration tasks on features. Warning: Cive to trusted roles only; this				-	-	
Administer LayerSlider. Features Administer features Perform administration tasks on features. Warning: Give to trusted roles only: this permission has security implications. Manage features View, enable and disable features. Warning: Give to trusted roles only; this permission has						
Administer LayerSlider. Features Administer features Perform administration tasks on features. Warning: Give to trusted roles only; this permission has security implications. Manage features View, enable and disable features. Warning: Give to trusted roles only; this permission has security implications. Generate features Allow feature exports to be generated and written directly to site. Warning: Give to trusted roles only; this permission has						
Administer LayerSlider. Features Administer features Perform administration tasks on features. Warning: Give to trusted roles only; this permission has security implications. Manage features View, enable and disable features. Warning: Give to trusted roles only; this permission has security implications. Generate features Allow feature exports to be generated and written directly to site. Warning: Give to trusted roles only; this permission has security implications. Edit feature machine name Allows editing machine name of a disabled feature Warning: Give to trusted roles only;						
Administer LayerSlider. Features Administer features. Perform administration tasks on features. Warning: Give to trusted roles only; this permission has security implications. Manage features View, enable and disable features. Warning: Give to trusted roles only; this permission has security implications. Cherrate features Allow feature exports to be generated and written directly to site. Warning: Give to trusted roles only; this permission has security implications. Edit feature machine name Allows editing machine name of a disablef feature Anning: Give to trusted roles only; this permission has security implications. Field Additional permissions are required based on what the fields are attached to (for example, administer content, Warning: Give to trusted or forbes only; this permission has security implications.						
Administer LayerSlider. Features Administer features. Perform administration tasks on features. Berform administration tasks on features. Warning: Give to trusted roles only; this permission has security implications. Manage features. Wanage features. Warning: Give to disable features. Warning: Give to rusted roles only; this permission has security implications. Chereate features. Allow feature exports to be generated and trusted roles only; this permission has security implications. Edit feature machine name Allows editing machine name of a disabled feature darming: Give to trusted roles only; this permission has security implications. Field Administer fields Additional permissions are required based on what he fields are attached to (for example, attached to content, types to manage fields attached to content, types to manage fiel						
Administer LayerSlider. Features Administer features Perform administration tasks on features. Warning: Cive to trusted roles only; this permission has security implications. Manage features Wew, enable and disable features. Warning: Cive to trusted orles only; this permission has security implications. Cheen to trusted roles only; this permission has security implications. Cheen to trusted roles only; this permission has security implications. Cheen to the security implications. Edit feature machine name of a disabled feature Warning: Cive to trusted roles only; this permission has security implications. Fleid Administer fields Additional permissions are required based on what the fields are attached to (for example, attached to content, Warning: Cive to trusted roles only; this permission has security implications. Fleid Permissions Administer field permission has security implications.						
Administer LayerSlider. Features Administer features. Perform administration tasks on features. Warning: Give to trusted roles only; this permission has security implications. Manage features View, enable and disable features. Warning: Give to trusted roles only; this permission has security implications. Generat features Allow feature exports to be generated and written directly to site. Warning: Give to trusted roles only; this permission has security implications. Edit feature machine name Allows editing machine name of a disabled feature Warning: Give to trusted roles only; this permission has security implications. Field Additional permissions are required based on shating the felds are attached to (for example, attached to content). Warning: Give to trusted roles only; this permission has security implications. Field Permissions are required based on the or trusted roles only; this permission has security implications. Field Permissions are required based on to content. Warning: Give to trusted roles only; this permission has security implications. Field Permissions and field permissions and field permissions settings. Warning: Give to trusted roles only; this permission has security implications. Field Permissions and field permission has security implications. Kunge field permissions and field permission has security implications. Kunge field permissions and field permissi						

field_hog_national_id This field appears as: <i>"User:User:HOG</i> National ID".				<		
Edit own value for field field_hog_national_id This field appears as: "User:User:HOG National ID".						
Edit anyone's value for field field_hog_national_id This field appears as: "User:User:HOG National ID".						
View own value for field field_hog_national_id This field appears as: "User:User:HOG National ID".		V				
View anyone's value for field field_hog_national_id This field appears as: "User:User:HOG National ID".						
Create own value for field field_chapter_member_source This field appears as: "User:User:Chapter member source".					Z	
Edit own value for field field_chapter_member_source This field appears as: "User:User:Chapter member source".						
Edit anyone's value for field field_chapter_member_source This field appears as: "User:User:Chapter member source".						
View own value for field field_chapter_member_source This field appears as: "User:User:Chapter member source".						
View anyone's value for field field_chapter_member_source This field appears as: "User:User:Chapter member source".						
Create own value for field field_hog_life_member This field appears as: "User:User:National Life Member".						
Edit own value for field field_hog_life_member This field appears as: "User:User:National Life Member".						
Edit anyone's value for field field_hog_life_member This field appears as: <i>"User:User:National Life Member"</i> .						
View own value for field field_hog_life_member This field appears as: "User:User:National Life Member".						
View anyone's value for field field_hog_life_member This field appears as: "User:User:National Life Member".						2
Create own value for field field_hog_member_type This field appears as: <i>"User:User:Member</i> Type".						
Edit own value for field field_hog_member_type This field appears as: "User:User:Member Type".						•
Edit anyone's value for field field_hog_member_type This field appears as: "User:User:Member Type".						•
View own value for field field_hog_member_type This field appears as: "User:User:Member Type".						

.

View anyone's value for field field_hog_member_type This field appears as: <i>"User:User:Member</i> Type".							
Create own value for field field_member_points This field appears as: <i>"User:User:Member</i> Points".	۵						
Edit own value for field field_member_points This field appears as: <i>"User:User:Member</i> Points".							2
Edit anyone's value for field field_member_points This field appears as: <i>"User:User:Member</i> Points".							
View own value for field <i>field_member_points</i> This field appears as: <i>"User:User:Member</i> <i>Points"</i> .			V		đ		
View anyone's value for field <i>field_member_points</i> This field appears as: <i>"User:User:Member</i> <i>Points"</i> .			V		V		
Create own value for field field_member_qr This field appears as: <i>"User:User:QR Code"</i> .							•
Edit own value for field <i>field_member_qr</i> This field appears as: <i>"User:User:QR Code"</i> .							
Edit anyone's value for field field_member_qr This field appears as: <i>"User:User:QR Code"</i> .							
View own value for field field_member_qr This field appears as: "User:User:QR Code".		V	V				
View anyone's value for field <i>field_member_qr</i> This field appears as: <i>"User:User:QR Code"</i> .							✓
Create own value for field field_generate_new_card This field appears as: "User:User:Generate Printable Membership Card".						•	
Edit own value for field field_generate_new_card This field appears as: "User:User:Generate Printable Membership Card".							
Edit anyone's value for field field_generate_new_card This field appears as: "User:User:Generate Printable Membership Card".						•	
View own value for field field_generate_new_card This field appears as: "User:User:Generate Printable Membership Card".							✓
View anyone's value for field field_generate_new_card This field appears as: "User:User:Generate Printable Membership Card".							
Create own value for field field_release_expires_date This field appears as: "User:User:Release expires date".							
Edit own value for field field_release_expires_date This field appears as: "User:User:Release expires date".							
Edit anyone's value for field field_release_expires_date This field appears as: <i>"User:User:Release</i> expires date".							
View own value for field field_release_expires_date This field appears as: "User:User:Release expires date".	Ø						

View anyone's value for field field_release_expires_date This field appears as: "User:User:Release expires date".					2	
Create own value for field field_administrative_notes This field appears as: "User:User:Administrative notes".						۵
Edit own value for field field_administrative_notes This field appears as: "User:User:Administrative notes".						
Edit anyone's value for field field_administrative_notes This field appears as: "User:User:Administrative notes".						
View own value for field field_administrative_notes This field appears as: "User:User:Administrative notes".						<
View anyone's value for field field_administrative_notes This field appears as: "User:User:Administrative notes".						
Create own value for field field_facebook_account This field appears as: "User:User:Facebook account".						
Edit own value for field field_facebook_account This field appears as: "User:User:Facebook account".						
Edit anyone's value for field field_facebook_account This field appears as: "User:User:Facebook account".						
View own value for field field_facebook_account This field appears as: "User:User:Facebook account".						
View anyone's value for field field_facebook_account This field appears as: "User:User:Facebook account".						
Create own value for field field_facebook_tag This field appears as: "User:User:Tag me in Chapter posts for events I attend".						
Edit own value for field field_facebook_tag This field appears as: "User:User:Tag me in Chapter posts for events I attend".						
Edit anyone's value for field field_facebook_tag This field appears as: "User:User:Tag me in Chapter posts for events I attend".						
View own value for field field_facebook_tag This field appears as: "User:User:Tag me in Chapter posts for events I attend".						
View anyone's value for field field_facebook_tag This field appears as: "User:User:Tag me in Chapter posts for events I attend".						
Create own value for field field_chapter_member_since This field appears as: "User:User:Chapter member since".						
Edit own value for field field_chapter_member_since This field appears as: "User:User:Chapter member since".						
Edit anyone's value for field field_chapter_member_since This field appears as: "User:User:Chapter member since".						

View own value for field field_chapter_member_since This field appears as: "User:User:Chapter member since".		2				
View anyone's value for field field_chapter_member_since This field appears as: "User:User:Chapter member since".						
Create own value for field field_chapter_member_until This field appears as: "User:User:Chapter member until".						
Edit own value for field field_chapter_member_until This field appears as: "User:User:Chapter member until".						
Edit anyone's value for field field_chapter_member_until This field appears as: "User:User:Chapter member until".						
View own value for field field_chapter_member_until This field appears as: "User:User:Chapter member until".		X				
View anyone's value for field field_chapter_member_until This field appears as: "User:User:Chapter member until".						
Create own value for field field_national_member_since This field appears as: "User:User:National Member Since".						
Edit own value for field field_national_member_since This field appears as: "User:User:National Member Since".						
Edit anyone's value for field field_national_member_since This field appears as: "User:User:National Member Since".						
View own value for field field_national_member_since This field appears as: "User:User:National Member Since".						۵
View anyone's value for field field_national_member_since This field appears as: "User:User:National Member Since".						
Create own value for field field_national_member_until This field appears as: "User:User:National Member Until".						۵
Edit own value for field field_national_member_until This field appears as: "User:User:National Member Until".						
Edit anyone's value for field field_national_member_until This field appears as: "User:User:National Member Until".						۵
View own value for field field_national_member_until This field appears as: "User:User:National Member Until".						
View anyone's value for field field_national_member_until This field appears as: "User:User:National Member Until".					•	
Create own value for field field_push_device_token This field appears as: "User:User:Push Device Token".						
Edit own value for field field_push_device_token This field appears as: "User:User:Push Device Token".						

Edit anyone's value for field field_push_device_token This field appears as: <i>"User:User:Push Device</i> Token".					
View own value for field field_push_device_token This field appears as: <i>"User:User:Push Device</i> Token".					
View anyone's value for field field_push_device_token This field appears as: <i>"User:User:Push Device</i> Token".					
Create own value for field field_login_platform This field appears as: "User:User:Login Platform".					
Edit own value for field field_login_platform This field appears as: "User:User:Login Platform".					~
Edit anyone's value for field field_login_platform This field appears as: "User:User:Login Platform".					
View own value for field field_login_platform This field appears as: "User:User:Login Platform".					
View anyone's value for field field_login_platform This field appears as: "User:User:Login Platform".					
Create own value for field field_transient_lat This field appears as: "User:User:Transient Lat".					
Edit own value for field field_transient_lat This field appears as: "User:User:Transient Lat".					
Edit anyone's value for field field_transient_lat This field appears as: "User:User:Transient Lat".					
View own value for field field_transient_lat This field appears as: "User:User:Transient Lat".					
View anyone's value for field field_transient_lat This field appears as: "User:User:Transient Lat".					
Create own value for field field_transient_long This field appears as: "User:User:Transient Long".					
Edit own value for field field_transient_long This field appears as: "User:User:Transient Long".					
Edit anyone's value for field field_transient_long This field appears as: "User:User:Transient Long".					
View own value for field field_transient_long This field appears as: "User:User:Transient Long".					
View anyone's value for field field_transient_long This field appears as: <i>"User:User:Transient Long"</i> .					
Create own value for field field_chapter_mileage This field appears as: <i>"User:User:Chapter</i> <i>Mileage"</i> .					

Edit own value for field field_chapter_mileage This field appears as: <i>"User:User:Chapter</i> <i>Mileage"</i> .								
Edit anyone's value for field field_chapter_mileage This field appears as: "User:User:Chapter Mileage".								
View own value for field field_chapter_mileage This field appears as: "User:User:Chapter Mileage".								
View anyone's value for field field_chapter_mileage This field appears as: "User:User:Chapter Mileage".								
Create own value for field field_hogscan_migrate_uid This field appears as: "User:User:hogscan_migrate_uid".								
Edit own value for field field_hogscan_migrate_uid This field appears as: "User:User:hogscan_migrate_uid".								
Edit anyone's value for field field_hogscan_migrate_uid This field appears as: "User:User:hogscan_migrate_uid".								
View own value for field field_hogscan_migrate_uid This field appears as: "User:User:hogscan_migrate_uid".								
View anyone's value for field field_hogscan_migrate_uid This field appears as: "User:User:hogscan_migrate_uid".								
File Entity								
Bypass file access control View, edit and delete all files regardless of permission restrictions. Warning: Give to trusted roles only; this permission has security implications.								
Administer file types Warning: Give to trusted roles only; this permission has security implications.								
Administer files Warning: Give to trusted roles only; this permission has security implications.								
Add and upload new files		~	✓		~			
View own private files Includes the following stream wrappers: <i>Private files (s3fs)</i> .								
View own files		<		~	<			
View private files Warning: Give to trusted roles only; this permission has security implications.								
View files Includes the following stream wrappers: Vimeo videos, YouTube videos, S3 File System, Public files (s3fs).								
Document: Edit own files								
Document: Edit any files								
Document: Delete own files								
Document: Delete any files								
Document: Download own files								
Document: Download any files		1	2	V	1	V	V	V
Image: Edit own files								
Image: Edit any files								
Image: Delete own files								

Image: Delete any files								
Image: Download own files				0	0	0		
Image: Download any files								
Video: Edit own files								
Video: Edit any files								
Video: Delete own files								
Video: Delete any files								
Video: Download own files								
Video: Download any files								
Audio: Edit own files								
Audio: Edit any files								
Audio: Delete own files								
Audio: Delete any files								
Audio: Download own files								
Audio: Download any files								
Filter								
Administer text formats and filters Define how text is handled by combining filters into text formats. Warning: Give to trusted roles only, this permission has security implications.								
Use the HTML Editor text format Warning: This permission may have security implications depending on how the text format is configured.								
Use the HTML Code text format Warning: This permission may have security implications depending on how the text format is configured.		•	•	✓		✓		
Use the Full HTML text format								
Warning: This permission may have security implications depending on how the text format is configured.								
implications depending on how the text								
implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security implications depending on how the text								
Implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security Implications depending on how the text format is configured.								
Implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security Implications depending on how the text format is configured. Flag Administer flags							-	
Implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security Implications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Cive to trusted roles only; this permission has								
implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security implications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Give to trusted roles only; this permission has security implications.								
Implications depending on how the text format is configured. Use the PHP code text format Wimplications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Cive to trusted roles only; this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP								
Implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security implications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Give to trusted roles only; this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings								
Implications depending on how the text Format is configured. Use the PHP code text format Wimplications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Cive to trusted roles only; this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings								
Implications depending on how the text Variations depending on how the text Variations depending on how the text Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Cive to trusted roles only; this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings Forum Administer forums								
Implications depending on how the text Format is configured. Use the PHP code text format Wimplications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Cive to trusted roles only; this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings								
Implications depending on how the text Variations depending on how the text Variations depending on how the security Implications depending on how the text Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Cive to trusted roles only; this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings Forum Administer forums Administer forums Administer forums Administer forums								
Implications depending on how the text format is configured. Use the PHP code text format Warning: This permission may have security implications depending on how the text format is configured. Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: <i>Cive to trusted roles only; this permission has</i> security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings Forum Administer forung accellate settings Front Page Allow users to make changes to the front page settings.								
Implications depending on how the text Variations depending on how the text Variations depending on how the text Flag Administer flags Create and edit site-wide flags. Use flag importer Access the flag import functionality. Warning: Give to trusted roles only, this permission has security implications. Flag Node entities as RSVP Unflag Node entities as RSVP Form Placeholder Administer form placeholder settings Forum Administer forums Flog Location GMap Location View node map								

Geocoder								
Can use all Geocoder handlers through		V	V	2		V	7	V
AJAX / service								
Can geocode using Bing through AJAX / service								
Can geocode using Image/exif through AJAX / service								
Can geocode using Google Geocoder through AJAX / service	✓	V			1	V	1	1
Can geocode using GPX through AJAX / service								
Can geocode using GeoJSON through AJAX / service								
Can geocode using KML through AJAX / service								
Can geocode using Latitude / Longitude through AJAX / service								
Can geocode using Mapbox through AJAX / service								
Can geocode using MapQuest Nominatim through AJAX / service								
Can geocode using Mapzen through AJAX / service								
Can geocode using OpenStreetMap Nominatim through AJAX / service								
Can geocode using WKT through AJAX / service								
Can geocode using Yahoo Placefinder through AJAX / service								
Can geocode using Yandex (Яндекс.Карт) through AJAX / service								
HOGSCAN								
Can Perform Checkin Allow create/delete event checkin								
Manage Chapter Settings Allow change Chapter settings						•		
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API.								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API.								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot-protected forms and								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot protected forms and settings Bypass Honeypot protection								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot-protected forms and settings Bypass Honeypot protection Bypass Honeypot form protection.								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot Bypass Honeypot protection Bypass Honeypot form protection. IMCE Warning: Give to trusted roles only; this								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Alow advanced user edit via API. Honeypot Administer Honeypot, Administer Honeypot protection Bypass Honeypot form protection. EMCE Administer IMCE Warning: Give to trusted roles only; this permission has security implications.								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Alow advanced user edit via API. Honeypot Administer Honeypot, Administer Honeypot protection Bypass Honeypot form protection. Bypass Honeypot form protection. IMCE Administer IMCE Warning: Give to trusted roles only; this permission has security implications. Image Administer image styles Create and modify styles for generating								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot-protected forms and settings Bypass Honeypot protection Bypass Honeypot form protection. IMCE Administer IMCE Warning: Give to trusted roles only; this permission has security implications. Image Administer image styles Greate and modify styles for generating								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Alow advanced user edit via API. Honeypot Administer Honeypot, Administer Honeypot protection Bypass Honeypot protection. Bypass Honeypot form protection. IMCE Administer IMCE Warning: Give to trusted roles only; this permission has security implications. Image Administer image styles Create and modify styles for generating image modifications such as thumbnalis.								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Alow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot-protected forms and settings Bypass Honeypot protection Bypass Honeypot form protection. IMCE Administer IMCE Warning: Give to trusted roles only; this permission has security implications. Image Administer image styles Create and modify styles for generating create and create and								
Allow change Chapter settings API Basic User Edit Allow basic user edit via API. API Advanced User Edit Allow advanced user edit via API. Honeypot Administer Honeypot Administer Honeypot-protected forms and settings Bypass Honeypot protection Bypass Honeypot protection Bypass Honeypot form protection. Bypass Honeypot form protection. Create and modify styles for generating mage modifications such as thumbnails. Libraries Libraries Libraries								

Submit latitude/longitude	Z	V	1	~	~	1	1		V
Maxlength									
Bypass maxlength setting If a maxlength is configured for a certain field, the user don't see the value.									
Media									
Administer media browser Access media browser settings.									
Use the media browser			V		V		1		1
Media Bulk Upload									
Import media files from the local filesystem Simple file importer Warning: Give to trusted roles only; this permission has security implications.							M		
Media Internet Sources									
Add media from remote services Add media from remote sources such as other websites, YouTube, etc									
Media WYSIWYG									
Use Media WYSIWYG in an editor Warning: Give to trusted roles only; this permission has security implications.									
Menu									
Administer menus and menu items			✓						
Module filter									
Administer Module Filter Configure how Module Filter performs.									
Node									
Bypass content access control View, edit and delete all content regardless of permission restrictions. Warning: <i>Cive</i> to trusted roles only, this permission has security implications.								<	
Administer content types Warning: Give to trusted roles only: this permission has security implications.									
Administer content Warning: Give to trusted roles only; this permission has security implications.									
Access the content overview page Get an overview of all content.									
View published content									
View own unpublished content									
View content revisions									
Revert content revisions			~					~	
Delete content revisions									
Forum topic: Create new content									
Forum topic: Edit own content									
Forum topic: Delete own content									
Forum topic: Delete any content									
Article: Create new content					<				
Article: Edit own content									
Article: Edit any content									
Article: Delete own content			~		<	<	~		
Article: Delete any content									
Event: Create new content			~		<		~	<	
Event: Edit own content									

	_	_	_	_	_	_	_	_	_	_
Event: Edit any content										
Event: Delete own content										
Event: Delete any content								~		✓
Event checkin: Create new content										
Event checkin: Edit own content								~		
Event checkin: Edit any content										
Event checkin: Delete own content										
Event checkin: Delete any content										
Gallery: Create new content			~				~		Z	
Gallery: Edit own content										
Gallery: Edit any content				✓	~	~				~
Gallery: Delete own content										
Gallery: Delete any content						<		~		~
Newsletter: Create new content										
Newsletter: Edit own content				✓						
Newsletter: Edit any content										
Newsletter: Delete own content								~		Image: A start of the start
Newsletter: Delete any content										
Basic page: Create new content								~		
Basic page: Edit own content										
Basic page: Edit any content										
Basic page: Delete own content										
Basic page: Delete any content										
Team Member: Create new content										
Team Member: Edit own content				<						
Team Member. Edit any content										
Team Member. Delete own content										
Team Member: Delete any content										
Node clone										
Clone any node										
Clone own nodes.										
Path										
Administer URL aliases Warning: Give to trusted roles only; this permission has security implications.										
Create and edit URL aliases										
Pathauto										
Administer pathauto Allows a user to configure patterns for automated aliases and bulk delete URL- aliases.										
Notify of Path Changes Determines whether or not users are notified.										
Rabbit Hole										
Administer Rabbit Hole settings for nodes										
Allow PHP redirect evaluation for nodes Warning: Give to trusted roles only; this permission has security implications.										
Bypass Rabbit Hole action for nodes Allows user to bypass the action that has been configured for nodes. Warning: Give to trusted roles only: this permission has security implications.										
RoleAssign										

Assign roles Allow users with the <i>Administer users</i> permission to assign a restricted set of roles. <i>Warning: Give to trusted roles only: this</i> <i>permission has security implications.</i>				•	•	
Rules						
Administer rule configurations Administer rule configurations including events, conditions and actions for which the user has sufficient access permissions.						
Bypass Rules access control Control all configurations regardless of permission restrictions of events, conditions or actions. Warning: Give to trusted roles only; this permission has security implications.						
Access the Rules debug log						
S3 File System						
Administer S3 File System						
SMTP Authentication Support						
Administer SMTP Authentication Support module Perform administration tasks for SMTP Authentication Support module.						
Search						
Administer search						
Use search						
Use advanced search						
Security Kit						
Administer SecKit Configure security features of your Drupal installation.						
Security Review						
Access security review pages View security review checks and output. Give only to trusted users.						
Run security review checks Run the security review checks						
System						
Administer modules						
Administer site configuration Warning: Give to trusted roles only; this permission has security implications.						
Administer themes						
Administer software updates Warning: Give to trusted roles only; this permission has security implications.						
Administer actions						
Use the administration pages and help		~		✓	~	
Use the site in maintenance mode						
View the administration theme						
View site reports Warning: Give to trusted roles only; this permission has security implications.						
Block IP addresses						
Taxonomy						
Administer vocabularies and terms						
Edit terms in Forums						
Delete terms from Forums						
Edit terms in Blog Categories						
Delete terms from Blog Categories						
Edit terms in Event type						

Delete terms from Event type								
Edit terms in Member type								
Delete terms from Member type								
Edit terms in Tags								
Delete terms from Tags								
Universally Unique ID								
Administer UUID Allows configuration of the UUID module and APIs.								
User								
Administer permissions Warning: Give to trusted roles only; this permission has security implications.								
Administer users Warning: Give to trusted roles only; this permission has security implications.								
View user profiles		V	1	1	V	V		1
Change own username							1	
Cancel own user account Note: content may be kept, unpublished, deleted or transferred to the <i>Anonymous</i> user depending on the configured user settings.								
Select method for cancelling own account Warning: Give to trusted roles only; this permission has security implications.								
User protect								
Change own e-mail Allow users to edit their own e-mail address.		2						
Change own password Allow users to edit their own password.		1				V		
Change own OpenID Allow users to edit their own OpenID identities.		1			V	1		
Administer User protect Set up access rules for user administrators for various user-related edits. Warning: Cive to trusted roles only; this permission has security implications.								
Edit own user account Allow users to edit their own account page.		V			V			
Views								
Administer views Access the views administration pages. Warning: Give to trusted roles only; this permission has security implications.								
Bypass views access control Bypass access control when accessing views. Warning: Give to trusted roles only, this permission has security implications.								

Save permissions

Ask a question!